MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

INFRASTRUCTURE DETAILS OF COLLEGE AND HOSPITAL

Sr. No.	Particulars to be verified *	Obliege Website	Adequate/ Inadequate
	College		
1	Land details (as per M.S.R.): Total land (Not less than 2 acres), (Owned or leased land), unitary or not, NA of all land, 7/12 extracts of all land, Constructed Area Details	YES	ADEQUATE
2	Dean office, Professor's Office, Associate Professor's Office, Assistant Professor's Office , Administrative Block as per M.S.R		ADEQUATE
3	All DEPARTMENTS (as per M.S.R.): Human Anatomy, Human Physiology, Electrotherapy & Electrodiagnosis, Kinesiotherapy & Physical Diagnosis, Musculoskeletal Physiotherapy, Neuro Physiotherapy, Cardiovascular & Respiratory Physiotherapy, Community Physiotherapy	YES	ADEQUATE
4	College Library (as per M.S.R.): Area (1200 Sq.Ft.), Reading Rooms for Students, Staff Reading Room, Room for Books & Journals, Rooms for Librarian and Other Staff; Journal Room, Number of Computers with internet facility with minimum 15 nodes, Photocopier Machine, Total No. of books, Number of Journals: (Titles only), (Multiple volumes / issues of one title should be counted as ONE).	YES	ADEQUATE
	No. of books added in last year: 14 No. of Journals titles added in lastyear:5 Bills shall be verified by the Committee	YES	ADEQUATE
	Digital Library /e – Library availability	NO	111111111111111111111111111111111111111
5	Details of all Lecture Theatres with Seating Capacity (as per M.S.R.) along with AV Aids including overhead projector, LCD Projector and a microphone / multi Podium system. There shall be provision for E-class. Lecture halls must have facilities for conversion into E-class/Virtual class for teaching.	YES	ADEQUATE
6	Conference Room for Faculty: (as per M.S.R.)	YES	ADEQUATE
7	Mini Auditorium: (15 Sq.Ft./Student) (as per M.S.R.)	NO	
8 .	Class Rooms: (15 Sq.Ft./Student) (as per M.S.R.)	YES	ADEQUATE
9	Core Laboratories: (50 Sq.Ft./Student) (as per M.S.R.) Exercise Physiology & Fitness: Computerized Treadmill, Bicycle ergometer with speedometer, Skin fold caliper, Body composition analyzer, Weighing scale with height measurement, Spirometer, Peak flow meter, Energy Consumption analyzer, Pulse Oxymeter, ECG, Flutter, Inspiratory Muscle Trainer, Oxygen Cylinder, Nebulizer (ultrasonic), Nebulizer (Jet), Portable Suction Machine, B.P. Apparatus & Stethoscope, Shuttle Walk Test Software (Desirable).	YES	ADEQUATE
10	Physiotherapy Museum: (as per M.S.R.) (Desirable)	NO	
11	Yoga / Clinical Skill Laboratory: (60 Sq.Ft./Student) (as per M.S.R.) Yoga Mats / Pediatric Mats / Mats for Training Neurotherapeutic Skills, Adjustable Manual Therapy Plinth, Therabands & Theratubes, Swiss balls, Stability Trainers, Sensory Assessment Kit, Balance Assessment & Training Equipment, Stools, Benches, Wheel Chairs, Stairs, Ramps For Training Transfers.	YES	ADEQUATE
12	University Examination Infrastructure: Strong Room for examination a) (Area- 1200 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility	YES	ADEQUATE

13	Residential quarter facility for staff: Teaching, Non-teaching, Paramedical & Nursing staff	NA		
14	Other facilities: Hospital Waste Management Unit, Research Cell, Intercom Network, Playground, P.T Teacher or Instructor, Common Rooms for Boys, Common Room for Girls, Cafeteria, Facility for Indoor games, Gymnasium / Gymkhana Facility,.	YES	ADEQUATE	
15	Hostel Facility: Boys (UG), Girls (UG), Interns, Canteen Facility, Warden/ Rector, Hygiene, etc. [Note: Verify Canteen Facility is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	YES	ADEQUATE	
	 As per Central Council Norms/ University Norms, above Infrastructure must be available at College and all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence. 			

	HOSPITAL				
16	Hospital Details	Details on College Website	Adequate/ Inadequate		
	Name of the Hospital : YASHWANTRAO CHAVAN MEMORIAL HOSPITAL	YES	ADEQUATE		
	Bed Strength: 750				
	Number of beds registered as per BNH act:				
17	Clinical Facilities: Parent / Attached Hospital (Govt./Civil/Private) Must be within 10km. radius of the College				
a.	Total built up area of Hospital (in Sq.Ft.) : 500000 SQ.FT	YES	ADEQUATE		
b.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: (Please attach copy of registration certificate)	YES	ADEQUATE		
C.	Whether Casualty is available and functional :	YES	ADEQUATE		
18	Required Beds (UG & PG) Indoor and Outdoor Facility (as per M.S.R.)		ADEQUATE		
19	Ambulances : Owned, Hired		ADEQUATE		
	Any other				
	 As per Central Council Norms/ University Norms, above Infrastructure must be available all information with photographs must be uploaded on College Website. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", it must be marked as "Inadequate" with documentary evidence. 				

Dean/ Principal Stamp & Signature



PRINCIPAL

Late Shree Fakirbhai Pansare Education Foundation's College Of Physiotherapy,pune-44